

Facility Name: LYONDELLBASELL ACETYLS, LLC

FACILITY IDENTIFICATION:

LYONDELLBASELL ACETYLS, LLC

Dept:

Physical Address: 1350 MILLER CUT OFF RD, LA PORTE, TX 77571-9816

Mailing Address: P.O. DRAWER D, DEER PARK, TX 77536

Geographic Location:

County: HARRIS

Latitude: 29.714167

Longitude: -95.062778

Fire Department: City of La Porte FD

LEPC: La Porte LEPC

[x] All facility information (not including chemical information) is identical to last year's submission

IDENTIFICATION NUMBERS:

Dun & Bradstreet (b) (4)

NAICS: 325199 (All Other Basic Organic Chemical Manufacturing)

RMP: 100000158553 (RMP Facility ID)

Is the facility manned? [x] Manned [] Unmanned

Maximum No. of Occupants: 500

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?

[x] Yes [] No

Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)?

[x] Yes [] No

CONTACT INFORMATION:

Heath McCartney

Title: HSE MANAGER

Contact Type(s): EMERGENCY CONTACT

Address: 1515 MILLER CUT OFF RD, LA PORTE, TX, 77571

Phones: 24-HOUR: 713-209-1280 WORK PHONE: 713-336-5281

Email: James.McCartney@lyondellbasell.com

Hardcastle Lance

Title: HSE SPECIALIST

Contact Type(s): EMERGENCY CONTACT, FAC. EMERGENCY COORDINATOR

Address: 1515 MILLER CUT OFF RD, LA PORTE, TX, 77571

Phones: 24-HOUR: 713-209-1280 WORK PHONE: 713-209-1219

Email: Eric.Hardcastle@lyondellbasell.com

Stephen Goff

Organization: LYONDELLBASELL ACETYLS LLC

Title: PLANT MANAGER

Contact Type(s): OWNER / OPERATOR

Address: 1515 MILLER CUT OFF RD, LA PORTE, TX, 77571

Phones: WORK PHONE: 713-336-5475

Email: Stephen.Goff@lyondellbasell.com

Samantha Solis

Title: INDUSTRIAL HYGIENIST

Contact Type(s): BILLING CONTACT, TIER II INFORMATION CONTACT

Facility Name: LYONDELLBASELL ACETYLS, LLC

Address: 1515 MILLER CUT OFF RD, LA PORTE, TX, 77571

Phones: 24-HOUR: 713-209-1280 CELL PHONE: 832-584-8656 WORK PHONE: 713-209-7003

Email: Samantha.Solis@lyondellbasell.com

CHEMICAL DESCRIPTIONS:

CHEMICAL NAME: PROPIONIC ACID

CAS #: 79-09-4 EHS: NO

☒ Identical to previous year☐ Trade Secret☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas**CHEMICAL COMPONENTS:****PHYSICAL HAZARDS:**

- ☐ Combustible dust
- ☐ Explosive
- ☐ Gas under pressure
- ☐ Organic peroxide
- ☐ Pyrophoric gas
- ☐ Self-heating

- ☐ Corrosive to metal
- ☐ Flammable
- ☐ In contact with water emits flammable gas
- ☐ Oxidizer
- ☐ Pyrophoric
- ☐ Self-reactive

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☒ Serious eye damage or eye irritation
- ☒ Skin corrosion or irritation

- ☐ Aspiration hazard
- ☐ Germ cell mutagenicity
- ☐ Respiratory or skin sensitization
- ☐ Simple Asphyxiant
- ☐ Specific target organ toxicity(single or

INVENTORY:☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure Temp: Greater than ambient temperature

Location: acetic acid unit AA-East Side

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: HYDROQUINONE

CAS #: 123-31-9 EHS: YES

☒ Identical to previous year☐ Trade Secret☒ Pure ☐ Mixture ☒ Solid ☐ Liquid ☐ Gas**CHEMICAL COMPONENTS:**☒ EHS, CAS: 123-31-9, Component: HYDROQUINONE, 100% Wt, Max Amt Code: 05**PHYSICAL HAZARDS:**

- ☐ Combustible dust
- ☐ Explosive
- ☐ Gas under pressure

- ☐ Corrosive to metal
- ☐ Flammable
- ☐ In contact with water emits flammable gas

Facility Name: LYONDELLBASELL ACETYL, LLC

☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☒ Acute toxicity (any route of exposure)
☒ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☐ Skin corrosion or irritation

☐ Aspiration hazard
☒ Germ cell mutagenicity
☒ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 05 (5,000 - 9,999 pounds)
Avg Daily Amt code: 05 (5,000 - 9,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Fiber drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: Vinyl Acetate Monomer Unit VAM-East Side
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: Vinyl Acetate Monomer Unit
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ACROLEIN

CAS #: 107-02-8 EHS: YES

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☒ EHS, CAS: 107-02-8, Component: ACROLEIN, 100% Wt, Max Amt Code: 03

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 03 (500 - 999 pounds)

Facility Name: LYONDELLBASELL ACETYLS, LLC

Avg Daily Amt code: 03 (500 - 999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Greater than ambient temperature
Location: Vinyl Acetate Monomer Unit VAM-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Purolite SGC 650H
CAS #: 69011-20-7 EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☒ Solid ☐ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 1321-74-0, Component: Sulfonated styrene-divinylbenzene, 55% Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Other
Pressure: Greater than ambient pressure Temp: Ambient temperature
Location: acetic acid unit AA-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: CHLORINE
CAS #: 7782-50-5 EHS: YES

Facility Name: LYONDELLBASELL ACETYLS, LLC

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☒ Gas

CHEMICAL COMPONENTS:

☒ EHS, CAS: 7782-50-5, Component: CHLORINE, 100% Wt, Max Amt Code: 05

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input checked="" type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input checked="" type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 05 (5,000 - 9,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Other
Pressure: Greater than ambient pressure Temp: Ambient temperature
Location: AA Cooling Tower-East Side
Amount: 8000 pounds

☐ Confidential
Container Type: Other
Pressure: Greater than ambient pressure Temp: Ambient temperature
Location: VAM Cooling Tower-East Side
Amount: 4000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ACETIC ACID, GLACIAL

CAS #: 64-19-7 EHS: NO

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 64-19-7, Component: ACETIC ACID, GLACIAL, 100% Wt, Max Amt Code: 13

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

Facility Name: LYONDELLBASELL ACETYLS, LLC

HEALTH HAZARDS:

- | | |
|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 13 (10 MILLION + pounds)
Avg Daily Amt code: 13 (10 MILLION + pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Greater than ambient pressure Temp: Greater than ambient temperature
Location: Vinyl Acetate Monomer Unit VAM-East Side
Amount: N/A pounds

- ☐ Confidential
Container Type: Above ground tank
Pressure: Greater than ambient pressure Temp: Greater than ambient temperature
Location: Acetic Acid Unit AA-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: SULFURIC ACID

CAS #: 7664-93-9 EHS: YES

- ☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☒ EHS, CAS: 7664-93-9, Component: SULFURIC ACID, 50% Wt, Max Amt Code: 07

PHYSICAL HAZARDS:

- | | |
|---------------------------------------------|--------------------------------------------------------------------|
| <input type="checkbox"/> Combustible dust | <input checked="" type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds

Facility Name: LYONDELLBASELL ACETYLS, LLC

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Cooling Towers AA and VAM-East Side

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHYL IODIDE

CAS #: 74-88-4 EHS: NO

☒ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 74-88-4, Component: METHYL IODIDE, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust

☐ Explosive

☐ Gas under pressure

☐ Organic peroxide

☐ Pyrophoric gas

☐ Self-heating

☐ Corrosive to metal

☐ Flammable

☐ In contact with water emits flammable gas

☐ Oxidizer

☐ Pyrophoric

☐ Self-reactive

HEALTH HAZARDS:

☒ Acute toxicity (any route of exposure)

☒ Carcinogenicity

☐ Reproductive toxicity

☒ Serious eye damage or eye irritation

☒ Skin corrosion or irritation

☐ Aspiration hazard

☐ Germ cell mutagenicity

☐ Respiratory or skin sensitization

☐ Simple Asphyxiant

☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure Temp: Greater than ambient temperature

Location: Acetic Acid Unit AA-East Side

Amount: N/A pounds

☐ Confidential

Container Type: Steel drum

Pressure: Greater than ambient pressure Temp: Ambient temperature

Location: Acetic Acid Unit AA-East Side

Amount: N/A pounds

☐ Confidential

Container Type: Steel drum

Facility Name: LYONDELLBASELL ACETYLS, LLC

Pressure: Greater than ambient pressure Temp: Ambient temperature

Location: Stores-West Side

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHYL ACETATE

CAS #: 79-20-9 EHS: NO

☒ Identical to previous year☐ Trade Secret☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 79-20-9, Component: METHYL ACETATE, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating☐ Corrosive to metal
☒ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☐ Skin corrosion or irritation☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Acetic Acid AA-East Side

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHANOL

CAS #: 67-56-1 EHS: NO

☒ Identical to previous year☐ Trade Secret☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 67-56-1, Component: METHANOL, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

Facility Name: LYONDELLBASELL ACETYLS, LLC

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: Acetic Acid Unit AA-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: NITROGEN

CAS #: 7727-37-9 EHS: NO

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☐ Liquid ☒ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 7727-37-9, Component: NITROGEN, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input checked="" type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input checked="" type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

Facility Name: LYONDELLBASELL ACETYL, LLC

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure Temp: Cryogenic conditions

Location: Vinyl Acetate Monomer Unit VAM-East Side

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure Temp: Ambient temperature

Location: Plant-wide-East Side

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: PHOSPHORIC ACID

CAS #: 7664-38-2 EHS: NO

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 7664-38-2, Component: PHOSPHORIC ACID, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☒ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 05 (5,000 - 9,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Wastewater Biotreatment-East Side

Amount: N/A pounds

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: VAM and AA Cooling Towers-East Side

Facility Name: LYONDELLBASELL ACETYLS, LLC

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Potassium Acetate

CAS #: 127-08-2 EHS:

☒ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☒ Solid ☐ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 127-08-2, Component: Potassium Acetate, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|------------------------------------------------------|--------------------------------------------------------------------|
| <input checked="" type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|-----------------------------------------------------------------|-------------------------------------------------------------------|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 10 (100,000 - 499,999 pounds)

Avg Daily Amt code: 10 (100,000 - 499,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Vinyl Acetate Monomer Unit VAM-East Side

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: POTASSIUM HYDROXIDE SOLUTION

CAS #: 1310-58-3 EHS: NO

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 1310-58-3, Component: POTASSIUM HYDROXIDE SOLUTION, 100% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---------------------------------------------|--------------------------------------------------------------------|
| <input type="checkbox"/> Combustible dust | <input checked="" type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |

Facility Name: LYONDELLBASELL ACETYLS, LLC

☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☒ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Daily Amt code: 10 (100,000 - 499,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: Vinyl Acetate Monomer Unit VAM-East Side
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: Acetic Acid Unit AA-East Side
Amount: N/A pounds

☐ Confidential
Container Type: Other
Pressure: Ambient pressure Temp: Ambient temperature
Location: Tank Truck in VAM-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: VANADIUM PENTAOXIDE

CAS #: 1314-62-1 EHS: YES

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☒ Solid ☐ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☒ EHS, CAS: 1314-62-1, Component: VANADIUM PENTAOXIDE, 100% Wt, Max Amt Code: 04

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating
☐ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Aspiration hazard
☐ Germ cell mutagenicity

Facility Name: LYONDELLBASELL ACETYLS, LLC

<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 04 (1,000 - 4,999 pounds)
Avg Daily Amt code: 04 (1,000 - 4,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Steel drum
Pressure: Ambient pressure Temp: Ambient temperature
Location: Vinyl Acetate Monomer Unit VAM-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: VINYL ACETATE

CAS #: 108-05-4 EHS: YES

☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☒ EHS, CAS: 108-05-4, Component: VINYL ACETATE MONOMER, 100% Wt, Max Amt Code: 13

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input checked="" type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 13 (10 MILLION + pounds)
Avg Daily Amt code: 13 (10 MILLION + pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: Vinyl Acetate Monomer Unit VAM-East Side
Amount: N/A pounds

Facility Name: LYONDELLBASELL ACETYLS, LLC

☐ Confidential

Container Type: Other

Pressure: Greater than ambient pressure Temp: Greater than ambient temperature

Location: Vinyl Acetate Monomer Unit VAM-East Side

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Vinyl Acetate Monomer VAM Tank-East Side

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Vinyl Acetate Waste VAM Tank-East Side

Amount: N/A pounds

☐ Confidential

Container Type: Rail car

Pressure: Ambient pressure Temp: Ambient temperature

Location: Chemical Loading Area-East Side

Amount: N/A pounds

☐ Confidential

Container Type: Other

Pressure: Greater than ambient pressure Temp: Ambient temperature

Location: North Barge Dock-East Side

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: AA Unit-East Side

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Hydrogen / Silver Polystyrene Sulphonate (Purolite CT145Ag/2244, CT145Ag/9077)

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☒ Solid ☐ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

Facility Name: LYONDELLBASELL ACETYLS, LLC

HEALTH HAZARDS:

- | | |
|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Daily Amt code: 08 (50,000 - 74,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Greater than ambient pressure Temp: Greater than ambient temperature
Location: Acetic Acid unit AA-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: AMMONIA (ANHYDROUS)

CAS #: 7664-41-7 EHS: YES

- ☒ Identical to previous year
☐ Trade Secret
☒ Pure ☐ Mixture ☐ Solid ☐ Liquid ☒ Gas

CHEMICAL COMPONENTS:

☒ EHS, CAS: 7664-41-7, Component: AMMONIA (ANHYDROUS), 100% Wt, Max Amt Code: 05

PHYSICAL HAZARDS:

- | | |
|---------------------------------------------|--------------------------------------------------------------------|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|----------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 05 (5,000 - 9,999 pounds)
Avg Daily Amt code: 04 (1,000 - 4,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Greater than ambient pressure Temp: Ambient temperature
Location: VAM Unit tank-East Side

Facility Name: LYONDELLBASELL ACETYLS, LLC

Amount: 30000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ACRYL-EX EC3447A

CAS #: EHS:

☒ Identical to previous year☐ Trade Secret☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☒ EHS, CAS: 108-05-4, Component: VINYL ACETATE, 60% Wt, Max Amt Code: 06

PHYSICAL HAZARDS:

- | | |
|---------------------------------------------|--------------------------------------------------------------------|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure Temp: Ambient temperature

Location: VAM Unit Tank 5412-East Side

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Nalco 3DT394

CAS #: EHS:

☒ Identical to previous year☐ Trade Secret☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 1310-73-2, Component: SODIUM HYDROXIDE, 10% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- | | |
|---------------------------------------------|--------------------------------------------------------------------|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |

Facility Name: LYONDELLBASELL ACETYL, LLC

☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: VAM Cooling Tower-East Side
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: AA Cooling Tower-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Nalco 3DT179

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Facility Name: LYONDELLBASELL ACETYLS, LLC

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: VAM Cooling Tower-East Side
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: AA Cooling Tower-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: NALCO Ultrion 8187

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 12042-91-0, Component: Aluminum Chloride Hydroxide, 60% Wt, Max Amt Code: 07

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 07 (25,000 - 49,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: VAM Waste Treatment Clarifier V5126-East Side
Amount: N/A pounds

Facility Name: LYONDELLBASELL ACETYLS, LLC

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ETHYLENE

CAS #: 74-85-1 EHS: NO

☒ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☐ Liquid ☒ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 74-85-1, Component: ETHYLENE, 100% Wt, Max Amt Code: 06

PHYSICAL HAZARDS:

- | | |
|-----------------------------------------------|--------------------------------------------------------------------|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input checked="" type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Gas under pressure | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Oxidizer |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Pyrophoric |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Self-reactive |

HEALTH HAZARDS:

- | | |
|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Carcinogenicity | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Reproductive toxicity | <input type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Simple Asphyxiant |
| <input checked="" type="checkbox"/> Skin corrosion or irritation | <input type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential
Container Type: Above ground tank
Pressure: Greater than ambient pressure Temp: Greater than ambient temperature
Location: Vinyl Acetate Monomer Unit-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Cytop 503

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

- ☐ EHS, CAS: 31160-64-2, Component: Mono-octyldihexyl phosphine Oxide, 32% Wt, Max Amt Code: 06
☐ EHS, CAS: 3084-48-8, Component: Trihexylphosphine Oxide, 16% Wt, Max Amt Code: 06
☐ EHS, CAS: 78-50-2, Component: Tri-n-octylphosphine oxide, 16% Wt, Max Amt Code: 06
☐ EHS, CAS: 31160-66-4, Component: Dioctyl-mono-hexyl phosphine oxide, 44% Wt, Max Amt Code: 06

PHYSICAL HAZARDS:

- | | |
|-------------------------------------------|---------------------------------------------|
| <input type="checkbox"/> Combustible dust | <input type="checkbox"/> Corrosive to metal |
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Flammable |

Facility Name: LYONDELLBASELL ACETYL, LLC

☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☒ Reproductive toxicity
☒ Serious eye damage or eye irritation
☒ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Tote bin
Pressure: Ambient pressure Temp: Ambient temperature
Location: Acetic Acid Unit-East Side
Amount: N/A pounds

☐ Confidential
Container Type: Above ground tank
Pressure: Greater than ambient pressure Temp: Greater than ambient temperature
Location: Acetic Acid Unit-East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Cytop 503A

CAS #: EHS:

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 31160-66-4, Component: Dioctyl-mono-hexyl phosphine oxide, 22% Wt, Max Amt Code: 06
☐ EHS, CAS: 31160-64-2, Component: Mono-octyldihexyl phosphine Oxide, 16% Wt, Max Amt Code: 06
☐ EHS, CAS: 3084-48-8, Component: Trihexylphosphine Oxide, 8% Wt, Max Amt Code: 06
☐ EHS, CAS: 78-50-2, Component: Tri-n-octylphosphine oxide, 8% Wt, Max Amt Code: 06
☐ EHS, CAS: 64-19-7, Component: ACETIC ACID, 55% Wt, Max Amt Code: 06

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☒ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☒ Reproductive toxicity
☒ Serious eye damage or eye irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant

Facility Name: LYONDELLBASELL ACETYLS, LLC

☒ Skin corrosion or irritation

☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Tote bin

Pressure: Ambient pressure Temp: Ambient temperature

Location: Acetic Acid Unit-East Side

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure Temp: Greater than ambient temperature

Location: Acetic Acid Unit-East Side

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Optimer 9818

CAS #: 64742-47-8 EHS:

☒ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Combustible dust
☐ Explosive
☐ Gas under pressure
☐ Organic peroxide
☐ Pyrophoric gas
☐ Self-heating

☐ Corrosive to metal
☐ Flammable
☐ In contact with water emits flammable gas
☐ Oxidizer
☐ Pyrophoric
☐ Self-reactive

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Carcinogenicity
☐ Reproductive toxicity
☒ Serious eye damage or eye irritation
☐ Skin corrosion or irritation

☐ Aspiration hazard
☐ Germ cell mutagenicity
☐ Respiratory or skin sensitization
☐ Simple Asphyxiant
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Daily Amt code: 05 (5,000 - 9,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Facility Name: LYONDELLBASELL ACETYLS, LLC

Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: Vinyl Acetate Unit - East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: SODIUM BISULFITE

CAS #: 7631-90-5 EHS: NO

☒ Identical to previous year
☐ Trade Secret
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Self-heating	<input type="checkbox"/> Self-reactive

HEALTH HAZARDS:

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds
Max Daily Amt code: 06 (10,000 - 24,999 pounds)
Avg Daily Amt code: 05 (5,000 - 9,999 pounds)
Avg Max Amt quantity in largest container: N/A pounds
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential
Container Type: Above ground tank
Pressure: Ambient pressure Temp: Ambient temperature
Location: Vinyl Acetate Unit - East Side
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

FACILITY STATE FIELDS:

Texas requests the following:

☐ Initial ☐ Updated ☒ Annual

TXT2 Number: 68200

TCEQ Regulated Entity Number (RN): RN100224450

TCEQ Customer Number (CN): CN603674862

During this reporting year, was this facility sold to another company, or did it close operations or discontinue storing reportable quantities of hazardous substances? NO

Effective Date:

Facility Name: LYONDELLBASELL ACETYLS, LLC

STATE / LOCAL FEES: \$300

- ☒ I have attached a site plan
☐ I have attached a list of site coordinate abbreviations
☐ I have attached a description of dikes and other safeguard measures

ATTACHMENTS

LPO Site Map.pdf
East Side Site Map.pdf
West Side Site Map.pdf

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 23
and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Samantha Solis, Industrial Hygienist

Name and official title of owner/operator

OR owner/operator's authorized representative

Signature

03/31/2021

Date Signed